Work Orde <i>May-01-13 7:18</i>	er ID 100916 :01 AM			*	100	916	*							Page 1	<u> </u>
	D4095-041	. ,		Accept		*N9	ററ	040	100)*	Setup	Start	*N	S1*	
Revision ID: Item Name:	Wearplate Assembly		10									Stop	*N	S2*	
Start Date:		Qty: 6.00	*6*			Cust	Item I	D:							
Required Date: Reference:	4/30/13 Req'd	l Qty: 6.00	*6*			Cust	omer:						•		
Approvals:	Process Plan: _ M	L.5	Date: \3-05-03	Tooling	:		Da	ate:	·]		Start	*N	R1*	
	QC:		Date:	SPC (Y	/N):		Da	ate:				Stop	*N	R2*	
Sequence ID/ Work Center ID	Opera Descri			Set U Run	p/ Hours	Too	ol ID	Tool #	Plan Code	Accept Qty	Reje Qty		Reject Number	Insp. Stamp	-
Draw Nbr	Revision N	br												`	
D4095	В	:												•	
100				0.00		- 4								DAS	-
100 Waterjet	FLOW '	WATER JET Memo		0.00		٠				6				05	s· 0S-2
FLOW CNC Waterje	et		Dwg (D4095-1)												
304.063		Dwg Rev:_ Prog Rev:_ 2-Deburr if	15												
110	QC2- In	spect parts off n	nachine FAI/FAIB	0.00	-								. /	DAS	
*11 0 *		M		0.00						_6_				05	3.05.6
Quality Control		Memo		0.00									•	,	
(,		·			0AS										
120	QC8- Ir	nspect parts - sec	ond check	0.00	P.C.	37				,					
120					b. S .	77				6					
QC		Memo		0.00									***************************************		
Quality Control															

NCR: Y	⁄es	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UP	DATE				
											QA Closed:	Da	te:	
Work Orde	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS		
Part N	No. _.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier		Engineering Quality Other
Root					Descri	ption of work order update		Initial	Act	ion	Sign &			
Cause	ļ	Date	Step	Qty		or Non-conformance	Cr	nief Eng	Desci	ription	Date	Verificatio	n	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved					·									
							AUL	LT CATE	GORY					
Landi		Bending Centre No Cracks Crushed/ Cuffs	Crimped	ntric to	o/s	General Bend BOM/Route Broken/Damaged Burrs Contamination		Instructi Mainte	on Incomplete ions Incomplete/U nance	Jnclear	Ovalized Over/Under Part Incorre Part Lost/M Part Moved	ct issing		Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled
		Heat Trea	n Strip in	Tube	-	Countersink Cut Too Short		Mislabe Misread			Positioned V Power Loss/	_		Other

Out of Calibration

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Large Fab

Large Fab

Memo

NCR: Y	es /	No					WORK ORDER NON-	100	NFORM	MANCE / UP	DATE	QA Closed:	Date	e:	
Work Orde	r:						DISPOSITION				_	EPARTMENT	/PROCESS	_	
Part N NCR N	-						Rework Scrap Use-as-is Work Order Update		t Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. re/Packaging Supplier		Engineering Quality Other
							· •				· · · _			 	
Root		.	<u>.</u>	۵. ا	Desc	•	tion of work order update	1	Initial	Act		Sign &			OC to an action
Cause	-	Date	Step	Qty		0	r Non-conformance	Ch	ief Eng	Descr	iption	Date	Verification	+	QC Inspector
oc/Data	\dashv							ł							
quip/Tooling	\dashv														·
)perator	\dashv							1							
/laterial etup	-														
)ther	\dashv													- [•
rocess	\dashv													-	
upplier	_													-	
raining	_														
Inapproved	\dashv													-	
		<u>.</u>					F	AUL	T CATE	GORY		<u></u>			
Landir	ng Gea	ır					General		-						
	Ве	ending					Bend		Grain			Ovalized		F	Pressure/Forced
	Ce	ntre No	t Concer	ntric to (o/s		BOM/Route		Hardwa	re		Over/Under	tolerance	1	Temperature/Cure
	Cr	acks			. [Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct _	\	Weld
	Cr	ushed/C	rimped				Burrs		Instruct	ions Incomplete/U	Inclear	Part Lost/M	ssing	\	Wrong Stock Pulled
~ y~ ·	Cu	ıffs					Contamination		Mainte	nance	L	Part Moved			
. [He	eat Trea	t				Countersink		Mislabe	led	L	Positioned V	Vrong		
	lin:	spection	Strip in	Tube		\Box	Cut Too Short		Misread	i	L	Power Loss/	Surge	<u></u>	Other
[Ri	pples in	Bend				Drill Holes		Offset						
	Tc	rque W	aves in E	xtrusior	, [Drawing		Out of 0	Calibration					
	Tu	rning Se	equence				Finish		Out of S	Sequence				·	
	w	ave/Twi	ist in Tub	e	[Folio		Outside	Dimensions					

DQA:

Date:

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde May-01-13 7:18		0916		*100	916*						Page 3
Item ID: Revision ID: Item Name:	D4095-041 Wearplate Ass	sembly		Accept	*N900	<u>040</u>	100)* s	etup Star	1 1	S1* S2*
Start Date: Required Date: Reference:	4/30/13 4/30/13	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	ID:					
Approvals:	Process Pla	nn:	Date:	Tooling: SPC (Y/N):		ate:		R	un Stai Sto	" I V I	R1* R2*
Sequence ID/ Work Center II	D	Operation Description QC10- Inspect visual per	r QS1004- ground welds	Set Up/ Run Hours 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 QC Quality Control		Memo		0.00				_6_	13-06	-10	DAS.
170		QC5- Inspect part compl	eteness to step on W/O	0.00		,		•			(DAS)
170 QC Quality Control		Memo		0.00) 130	6-10	
180				0.00			÷				40
180 HandFinish		Memo		0.00	14.00 46.000			6	Ø		13-6-10

A/R ROCKGUARD BATCH: 125382

COAT ENTIRE TOP (CONCAVE) SURFACE WITH ROCKGUARD AS PER

Hand Finishing

									DQA:	Date:	
NCR: Yes	s / No				WORK ORDER NON-C	ONFOR	MANCE / UP	DATE	QA Closed:	Date:	**
Work Order:					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part No.	•				Rework Scrap Use-as-is Work Order Update		Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	i	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root	<u> </u>			Descri	ption of work order update	Initial	Ac	tion	Sign &	·	
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data									- 1		
quip/Tooling]					1					
Operator	1										
Material	1										
Setup		1									
Other *											
Process											
Supplier	7										
Fraining	7										

Landing Gear General Bend Grain Ovalized Pressure/Forced Bending Centre Not Concentric to O/S BOM/Route Hardware Over/Under tolerance Temperature/Cure Broken/Damaged Part Incorrect Weld Cracks Inspection Incomplete Wrong Stock Pulled Part Lost/Missing Crushed/Crimped Burrs Instructions Incomplete/Unclear Part Moved Cuffs Contamination Maintenance Positioned Wrong Countersink Mislabeled Heat Treat Power Loss/Surge Other Inspection Strip in Tube Cut Too Short Misread Ripples in Bend Drill Holes Offset Torque Waves in Extrusion Drawing Out of Calibration Out of Sequence Turning Sequence Finish Folio Outside Dimensions Wave/Twist in Tube

FAULT CATEGORY

Unapproved

Work Ord <i>May-01-13 7:1</i>		00916		*100)916*			,				Page 4
Item ID: Revision ID: Item Name: Start Date: Required Date Reference:	D4095-041 Wearplate A 4/30/13 : 4/30/13	ssembly Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*	Accept	*N900 Cust Item I Customer:		100		Setup	Stop	*N!	S1* S2*
Approvals:	Process P	lan:	Date:	Tooling:	D:	ate:			Run	Start	*NI	R1*
	QC:		Date:	SPC (Y/N):	D	ate:				Stop	*NI	R2*
Sequence ID/ Work Center I 190 *1 QC* Quality Control	D	Operation Description QC3- Inspect Part Finish Memo		Set Up/ Run Hours 0.00 0.00	Tool ID	Tool#	Plan Code	Accept Qty	Rej Qty	· I		Insp. Stamp OAS 29
200 Packaging Packaging		Memo		0.00 .				<u> X (e</u>		4_	H	13/06/16
210 *210* QC Quality Control		QC21- Final Inspection - Memo	Work Order Release	0.00					10	3/6)H	MF.
												10-6-7

		_		DQA:
NCR: Yes / No	WORK ORDER NON-COI	NFORMANCE / UF		QA Closed:
Work Order:	DISPOSITION		AGAINST DE	PARTMENT/PRO
	Rework	Skid-tube	Crosstube	W
Part No.	Scrap	Machining	Small Fab	Prod. En
	Use-as-is	Thermoforming	Finishing	Rec/Store/Pa
NCR NO	Work Order Undate	Large Fah	Composite	

•									101115705		IDDOCECC	
Work Orde	ŕ:				DISPOSITION				AGAINST DE	PAKTIVIENT	/PROCESS	
Part N NCR N	o				Rework Scrap Use-as-is Work Order Update		I Thern	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	-	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root				Descri	ption of work order update	Init	tial	Act	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chie	f Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved												
					F	AULT (CATE	GORY				
Landin	g Gear			• •	General					_		_
	Bending Centre Note Cracks Crushed/ Cuffs Heat Trea Inspectio Ripples in Torque V	Crimped at n Strip in i Bend Javes in E	Tube		Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing Finish	H: In In M	struct lainte lislabe lisread ffset ut of (on Incomplete ions Incomplete/U nance led	Unclear	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ssing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
ļ ,	Wave/Tw	ist in Tub	ne .		Teolio	1 ln	utside	Dimensions				

Date:

Date:

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

May-01-13 7:18:01 AM

Work Order ID:

100916

Parent Item:

D4095-041

Parent Item Name:

Wearplate Assembly

Start Date: 4/30/13

Required Date: 4/30/13

Start Qty: 6.00

Required Qty: 6.00

Comments:

IPP Rev:A nerw issue DD 10.04.26 verified by:EC

Comments:	IFF Rev.A lielw is	Suc DD (0.04.20	o verifica	by.LC				•				
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Statu Issued
M304S16GA 304/316 Sheet .063		Purchased	No			100	sf	268.4214	2.275	14.368421	- // -	13.05.23
				Location		Loc Qty	<u>Lo</u>	c Code				
				MAT020		268.4213688						
				1222	45	0.1713688						
				1231	36	140.8						
				1244	28	29						
				1245	72	98.45			·			

											DQA:	Date:	
NCR: Y	⁄es	/ No				WORK ORDER NON-C	100	NFORM	MANCE / UF	PDATE			
											QA Closed:	Date	
Work Orde	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part N	ا ۱۰۰					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
D4	1				Docorie	ntion of work and an undata		nitial	Λ.	ction	Sign 9.		
Root	ĺ	Date	Ston	Otv		ption of work order update or Non-conformance	•	iief Eng		cription	Sign & Date	Verification	QCInspector
Cause		Date	Step	Qty		or Non-conformance	Ci	ner Eng	Desi	сприоп	Date	vernication	QC inspector
Doc/Data	\vdash		1										
Equip/Tooling	\vdash												
Operator	Н		ļ				}						
Material	\vdash						l						
Setup	\vdash												
Other	Н												
Process									·				
Supplier Training	Н												
	Н						İ						
Unapproved	نـــا	L	1	l	<u> </u>			T CATE	SORV		<u>]</u>	<u> </u>	<u>I</u>
Landi	ng G	Gear				General	701	.i CATE	3011				
Luna		Bending				Bend		Grain			Ovalized		Pressure/Forced
	_	Centre No	nt Concei	ntric to	0/5	BOM/Route	\vdash	Hardwa	re		Over/Under	tolerance	Temperature/Cure
	-	Cracks	or contect	Terre to	·"	Broken/Damaged	\vdash	ł	on incomplete	-	Part Incorre	 	Weld
	\vdash	Crushed/	Crimped			Burrs	H	4 '	ions Incomplete,	/Unclear	Part Lost/Mi		Wrong Stock Pulled
	\vdash	Cuffs	opcu		-	Contamination		Mainte	-		Part Moved		
	\vdash	Heat Trea	ıt			Countersink	\vdash	Mislabe		-	Positioned V	Vrong	
	\vdash	Inspection		Tube		Cut Too Short		Misreac			Power Loss/		Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


DART AEROSPACE LTD	Work Order:	100916
Description: Wearplate	Part Number:	D4095-1
Inspection Dwg: D4095 Rev: B		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.19	+0.005/-0.001	0.185	/		V	JKM-01
0.300	+/-0.010	0.309	/		V	
0.300	+/-0.010	0.303	/		V	
2.432	+/-0.010	2.434	/		V	
3.227	+/-0.010	3.222			V	
4.06	+/-0.030	4.049	/		V	
4.98	+/-0.030	4.98	/			
8.43	+/-0.030	8.411	/	Antonic	V	Prod-W5-02
9.22	+/-0.030	9.22	/		T	Prod-WJ-0.Z JK-4-06
3.500	+/-0.010	3.500	1		ナ	
24.750	+/-0.010	24.750	V .		テ	
11.50	+/-0.030	11.50		············	テ	
11.472	+/-0.010	11.472			T	
6.000	+/-0.010	6.00			ナ	
12.104	+/-0.010	12.104	/		7	
18.000	+/-0.010	18.000	/		Ť	
30.000	+/-0.010	30. <i>000</i>	1		7	
9.00	+/-0.030	9.00	/		ア	
36.000	+/-0.010	36.000			ナ	
38.87	+/-0.030	38.87	/		7	
2.50	+/-0.030	2.50	1		7	
0.063	+/-0.010	0-058			V	
			- CA			

Measured by:	Mul	Audited by:	é.	Preliminary Approval:	
Date:	13.05.23	Date:	13.523	Date:	

	Date	Change	Revised by	Approved
A 11	1.02.18	New Issue P/O D4095-041	KJ	11
B 11	1.11.08	Dimensions updated per Dwg Rev B	KJ 🚓	M






D


D4095-047 WEAR PAD ASSEMBLY



D4095-049 WEAR PAD ASSEMBLY



D4095-051 WEARPAD ASSEMBLY



∑_B\

B

DESIGN		DART AEROSPACE USA, INC		
DRAWN	XDF	· KENT		
CHECKED	10	DRAWING NO.	REV. B	
MFG. APPR.	10	D4095	SHEET 2 OF 8	
APPROVED	143	TITLE	SCALE	
DE APPR.	-44-	WEARPLATE	NTS	
DATE 11.10.18		COPYRIGHT © 2010 BY DART AEROSPACE USA, INC PRO DOCUMENT IS WINNER FOR COMPOSITION, AND IS SEPRINGED ON THE COPIESS CONSTRUCTION HAT IT IS NOT TO BE USED FOR AN INTERPRESSION FROM UNIT FOR SPORKED (TO). WHETTEN PERIOSSION FROM UNIT FOR SPORKED AND INTERPRESSION WINNERS. WHETTEN PERIOSSION FROM UNIT FOR SPORKED AND INTERPRESSION FROM UNIT FR		

